

Concrete drill bit suitable for the drilling of concretes and construction materials.



- Especially for concrete and brick
- Deep and through-drilling
- Tough

- SDS+ shank
- With 2 cutting edges

Machine



Application



Brick Cinder block Concrete

Features



Properties and benefits

- + SDS+ shank: attachment for SDS+ hammer drills (10 mm shank diameter) compliant with the SDS+ label, up to a power of 3 joules. ➔
Maximum striking power transmission for the simple and fast processing of the most difficult materials. For bits measuring 4 to 25 mm.
- + Cutting insert with 2 cutting edges: carbide cutting insert designed with two cutting edges, resulting in a high clearance capacity ➔
Enables the effective evacuation of dust and fast drilling.



| Code | EAN | Ø | d2/CM | L | l | lu | QTY | PCB |
|-------------|---------------|-----|-------|-----|-----|----|-----|-----|
| 10912330600 | 3221910864316 | 6 | SDS + | 260 | 200 | | 1 | 1 |
| 10912330650 | 3221910864309 | 6.5 | SDS + | 260 | 200 | | 1 | 1 |
| 10912330800 | 3221910847685 | 8 | SDS + | 260 | 200 | | 1 | 1 |
| 10912331000 | 3221910847692 | 10 | SDS + | 260 | 200 | | 1 | 1 |
| 10912331200 | 3221910847708 | 12 | SDS + | 260 | 200 | | 1 | 1 |
| 10912331400 | 3221910847715 | 14 | SDS + | 260 | 200 | | 1 | 1 |
| 10912331600 | 3221910847722 | 16 | SDS + | 260 | 200 | | 1 | 1 |
| 10912331800 | 3221910847739 | 18 | SDS + | 260 | 200 | | 1 | 1 |
| 10912332000 | 3221910866501 | 20 | SDS + | 260 | 200 | | 1 | 1 |
| 10912332200 | 3221910866518 | 22 | SDS + | 260 | 200 | | 1 | 1 |