

Multi-application threading. Precision comfort



- Especially for steels and aluminiums
- Comfort and precision
  
- High-speed steel

**Machine**



**Application**

|                       |                       |                                       |
|-----------------------|-----------------------|---------------------------------------|
| <b>N</b>              | <b>P</b><br>1         | <b>P</b><br>2.4                       |
| N- Non-ferrous alloys | P1- Unrealized steels | P2-4- Weakly alloyed declotage steels |

**Features**

|            |                        |                 |            |              |                     |
|------------|------------------------|-----------------|------------|--------------|---------------------|
| <b>HSS</b> | <b>BRIGHT UNCOATED</b> | <b>EN 24231</b> | <b>BSW</b> | <b>20-55</b> | <b>MEDIUM CLASS</b> |
|------------|------------------------|-----------------|------------|--------------|---------------------|

**Properties and benefits**

+ High-speed steel: HSS substrate ➡ For general use in steels and cast irons up to 950 N/mm<sup>2</sup>



| Item number M3 | EAN (13 digits) | M3 | Tap or thread diameter | Pitch in mm or TPI | Cage diameter | Cage height | Quantity No. |
|----------------|-----------------|----|------------------------|--------------------|---------------|-------------|--------------|
| 11005010108    | 3221910713492   |    | 1/8"                   | 40                 | 20            | 5           |              |
| 11005010532    | 3221910713553   |    | 5/32"                  | 32                 | 20            | 5           |              |
| 11005010316    | 3221910713522   |    | 3/16"                  | 24                 | 20            | 7           |              |
| 11005010104    | 3221910713485   |    | 1/4"                   | 20                 | 20            | 7           |              |
| 11005010516    | 3221910713546   |    | 5/16"                  | 18                 | 25            | 9           |              |
| 11005010308    | 3221910713515   |    | 3/8"                   | 16                 | 30            | 11          |              |
| 11005010716    | 3221910713577   |    | 7/16"                  | 14                 | 30            | 11          |              |
| 11005010102    | 3221910713478   |    | 1/2"                   | 12                 | 38            | 14          |              |
| 11005010508    | 3221910713539   |    | 5/8"                   | 11                 | 45            | 18          |              |
| 11005010304    | 3221910713508   |    | 3/4"                   | 10                 | 45            | 18          |              |
| 11005010708    | 3221910713560   |    | 7/8"                   | 9                  | 55            | 22          |              |
| 11005011000    | 3221910713584   |    | 1"                     | 8                  | 55            | 22          |              |