

11437070002 | 7 pieces - 6 monobloc HSS metal drill bits, split point, 1/4" hexagonal shank Ø 3 to 10 mm + 1 bit holder

Special high-performance sheet metal and tubing drill bit, compact and strong thanks to its monobloc design.

- Especially for sheet metal and tubing
- Compact drill bit
- Monobloc tool
- Rapid drilling
- Quick tool changing



- Automatic centring
- 6.35 mm hexagonal shank
- 30° type N flute
- High-speed steel
- 118° tip

6 metal drill bits Ø 3 - 4 - 5 - 6 - 8 - 10 mm + 1 bit holder - HALF TIVOLY BOX Case



Machine



Application

K 2	P 1	P 2
K2- Gray Cast iron	P1- Unrealized steels	P2- Weakly allied steels

Features

HSS	BRIGHT UNCOATED	TIVOLY NORM	HEXA 6.35mm		118°	N TYPE	30°	2xd	SHOCK SERIES	07 PCS	LONG LIFE +30%	Ø < 2,5mm
------------	------------------------	--------------------	--------------------	--	-------------	---------------	------------	------------	---------------------	---------------	-----------------------	-----------

Properties and benefits

- + Split-point grinding:reduction of the drill tip. ➡ Enables the simple self-centring of the drill bit on the smoothest of surfaces. Significantly reduces the required axial load.
- + 6.35 mm hexagonal shank / DIN 3126 C 6.3 standard: geometric characteristics comply with dimensional standards. ➡ Enables a perfect hold with bit-holders.
- + 30° type N flute: normal flute profile with a 30° helix angle. ➡ Suitable for general use. Provides good rigidity to the tool, as well as excellent drilling precision.
- + High-speed steel: HSS substrate ➡ For general use in steels and cast irons up to 950 N/mm²
- + 118° tip: 118° tip angle for the sharpening of the drill bit. ➡ Suitable for general use in materials with long shavings. Enables the rapid attach of the material and simple centring.

Données de gestion :

PCB : 1 / Kilogram. : 0,155 / Dimensions : 0115x0090x0030 mm / EAN : 3221912117496