

The Torsion bit: ideal for screwing into metal and hard materials | Torsion effect.



- 6.35 mm hexagonal shank
- With colored ring
- Anti-shock
- TiN coating
- Torsion breakage-resist.

15 bits L50mm PH 1 - 2 - 3 - PZ 1 - 2 - 3 - Slotted 4 - 5 - TX 10-15-20-25X2 - 30 - 40 + 32 bits L25mm PH 0 - 1 X2 - 2X2 - 3 - PZ 0 - 1X2 - 2X2 - 3 - Square 0 - 1 - 2 - 3 - TX 10 - 15 - 20 - 25 - 30 - 40 - TTX 10 - 15 - 20 - 25 - 30 - 40 - Hex. 3 - 4 - 5 - 6 + 1 Magnetic bit holder



#### Machine



#### Features



#### Properties and benefits

- + 6.35 mm hexagonal shank / DIN 3126 C 6.3 standard: geometric characteristics comply with dimensional standards. ➡ Enables a perfect hold with bit-holders.
- + With different color rings depending on the screw heads ➡ For the simple and fast recognition of screw head types. Each screw head has its own colour code
- + Anti-shock: 4 corners made from anti-shock elastomer, and a glass panel for a perfect view of the contents. ➡ Transport this case to your sites, and carry it up a step ladder or ladder in complete safety: the case can withstand any potential drops.
- + TiN coating: surface treated with titanium nitride, for resistance to wear. ➡ Enables greater longevity of the screwdriver bit and protection against corrosion.
- + Break-resistant twist: reduced central geometry and special thermal treatment that absorbs peak screwing forces and extreme torque variations. ➡ Prevents the premature breakage of the bit, as well as its premature wear, for a longer service life.

#### Données de gestion :

PCB : 1 / Kilogram. : 0,606 / Dimensions : 0210x0120x0045 mm / EAN : 3221912107794