

1152352 | Screwdriver bit - IMPACT Torsion diamond - For Torx screws **TECHNIC (Blister)**

The Torsion DIAMOND bit for demanding screwing jobs. Can withstand use in an impact screwdriver. Diamond coating for more bite in the screws and TIN coating to prevent premature wear. Torsion effect.



- Breakage-resistant tool
- Non-slip coating
- Maximum long life
- Maximum torque transmission

- 6.35 mm hexagonal shank
- With colored ring
- Non-slip diamond
- For impact machines
- Torsion breakage-resist.



Machine




Features



Properties and benefits

- + 6.35 mm hexagonal shank / DIN 3126 C 6.3 standard: geometric characteristics comply with dimensional standards. ➡ Enables a perfect hold with bit-holders.
- + With different color rings depending on the screw heads ➡ For the simple and fast recognition of screw head types. Each screw head has its own colour code
- + Non-slip diamond: screwdriver bits equipped with a diamond micro-particle coating. Reduces the forces of rejection and lowers the compression force. ➡ Prevents slipping off the screw. Enables safe, fast, and efficient work, especially in soft or expensive materials.
- + Shock Series Impact: geometry and material specifically designed for use on high-power impact machines. ➡ Resistant to high tightening torques and can handle all seized screws and bolts.
- + Break-resistant twist: reduced central geometry and special thermal treatment that absorbs peak screwing forces and extreme torque variations. ➡ Prevents the premature breakage of the bit, as well as its premature wear, for a longer service life.



Code	EAN	N°	Ø Screw	L	Max Torque Nmm	QTY	PCB
11523521000	3221910868079	N10	3-3,5	25		1	3
11523521500	3221910868086	N15	3,5-3,9	25		1	3
11523522000	3221910868093	N20	4-4,2	25		1	3
11523522500	3221910868109	N25	5-5,5	25		1	3
11523523000	3221910868116	N30	6-6,3	25		1	3
11523524000	3221910868123	N40	8	25		1	3