


1T50312 | Jigsaw blade - Multi-material - T attachment TECHNIC (Blister)

Bi-metal, the perfect combination of flexibility (HSS "spring" steel), and durability (welded HSS teeth). Head treated in a vacuum furnace. Suitable for wood & metal working.



- Milled, wavy set
- HSS toothing
- Variable teeth



Machine



Application



Hard wood Sheet metal Multi-material Plastic

Features



Properties and benefits

- + Milled, wavy set: the milled wavy tothing maintains a contact surface between the blade and the material. ⤴ Prevents jolts and enables very clean cuts into plywood, aluminium, non-ferrous metals and plastic materials.
- + Bi-metal steel blade: combination of progressive tothing made from quick-cutting tempered steel (HSS), and the body made from high-strength carbon steel (HCS). ⤴ Very flexible, used when there is a risk that the attachment will break. Very high resistance to wear, for a longer service life.
- + Variable tothing: design whereby the teeth are positioned with irregular gaps (pitches) and with alternating small and large teeth with different gap sizes. ⤴ Enables the cutting of a wide range of different materials. Reduces the risk of teeth breaking and reduces vibrations when cutting.



Code	EAN	Cutting thickness	Cutting type	Sawing cutting quality	L	I	Pitch	QTY	PCB
XT505520011	3221910898540	3-100	Straight cut	Quick Cut	132	110	2	3	