


# 1T50712 | Jigsaw blade - Multi-material - U attachment TECHNIC (Blister)

Bi-metal, the perfect combination of flexibility (HSS "spring" steel), and durability (welded HSS teeth). Head treated in a vacuum furnace. Suitable for wood & metal working.



- Milled, wavy set
- HSS tothing
- Variable teeth



### Machine



### Application



Multi-material

### Features



### Properties and benefits

- + Milled, wavy set: the milled wavy tothing maintains a contact surface between the blade and the material. ⤷ Prevents jolts and enables very clean cuts into plywood, aluminium, non-ferrous metals and plastic materials.
- + Bi-metal steel blade: combination of progressive tothing made from quick-cutting tempered steel (HSS), and the body made from high-strength carbon steel (HCS). ⤷ Very flexible, used when there is a risk that the attachment will break. Very high resistance to wear, for a longer service life.
- + Variable tothing: design whereby the teeth are positioned with irregular gaps (pitches) and with alternating small and large teeth with different gap sizes. ⤷ Enables the cutting of a wide range of different materials. Reduces the risk of teeth breaking and reduces vibrations when cutting.



| Code        | EAN           | Cutting thickness | Cutting type | Sawing cutting quality | L   | I   | Pitch | QTY | PCB |
|-------------|---------------|-------------------|--------------|------------------------|-----|-----|-------|-----|-----|
| XT505320041 | 3221910898182 | 3-100             | Straight cut | Quick Cut              | 132 | 110 | 2     | 3   |     |