

8236151 | Carbide slotting end mill -HARDCUT coating -TivolyNorm -Z2 -Hel. 30° -Chamfer

High performance milling cutter for grooving. Versatile use. HARDCUT coating gives it a better surface finish and increased cutting conditions. Made in France.




- Versatile use
- Optimal chip removal
- High speed machining
- Superior long life
- Made in France

- Monobloc carbide + PVD
- HARDCUT coating

Machine



Application



Features



Properties and benefits

- + Monobloc carbide + PVD : Tool body made of solid tungsten carbide (HM) with a PVD coating. ➡ Allows for better chip evacuation. Extends tool life and optimises cutting conditions.
- + HARDCUT coating : Thickness 1/3µm, hardness 3500 HV, coefficient of friction 0,25, resistance to heat (700°C). ➡ High wear resistance. Increased cutting conditions. Better surface finish. Only for steels, nickel-based alloys and titanium alloys.



Item number M3	EAN (13 digits) M3	Cutter diameter	Handle diameter or CM	Total length	Trimmed length	Number of teeth or cutting edges Z ARTICLE	Quantity No. pieces per sales unit	PCB By How Much M3
82361510100	3221910822552	1	3	39	3		1	1
82361510150	3221910822569	1,5	3	39	5		1	1
82361510200	3221910822576	2	3	39	7		1	1
82361510250	3221910822583	2,5	3	39	7		1	1
82361510300	3221910822590	3	3	39	9		1	1
82361510350	3221910822606	3,5	4	51	12		1	1
82361510400	3221910822613	4	4	51	14		1	1
82361510450	3221910822620	4,5	5	51	14		1	1
82361510500	3221910822637	5	5	51	16		1	1
82361510600	3221910822644	6	6	64	19		1	1
82361510700	3221910822651	7	8	64	19		1	1
82361510800	3221910822668	8	8	64	21		1	1
82361510900	3221910822675	9	10	70	22		1	1
82361511000	3221910822682	10	10	70	22		1	1
82361511100	3221910822699	11	11	70	25		1	1
82361511200	3221910822705	12	12	76	25		1	1
82361511400	3221910822712	14	14	89	30		1	1
82361511600	3221910822729	16	16	89	32		1	1



8236151 | Carbide slotting end mill -HARDCUT coating
-TivolyNorm -Z2 -Hel. 30° -Chamfer

High performance milling cutter for grooving. Versatile use. HARDCUT coating gives it a better surface finish and increased cutting conditions. Made in France.

82361511800	3221910822736	18	18	102	35	1	1
82361512000	3221910822743	20	20	102	38	1	1
82361512200	3221910822750	22	22	102	38	1	1
82361512500	3221910822767	25	25	102	38	1	1